	Туре	# H	Hits	Search Text	DBs
H	BRS	H H	1559	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or monitor\$5 or analyz\$5) near6 (temperature or strain)) and (bragg near2 grating) and (waveguide or fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1.2	94356 5	ultrasonic or elastic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
n	BRS	L3	12265	center near2 wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	61	1 and 2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
2	BRS	L5	20403 7	filter and wave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
9	BRS	1 9	35	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
7	IS&R	17	8	("20030234921").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
	IS&R	8 H	2	("5493390").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
o	BRS	L9	4	7 or 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	7	9 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
11	BRS	L11	8_	10 and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	13	6 and (chang\$5 near5 (center near2 wavelength))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	# #	Hits	Search Text	DBs
81	IS&R	L18	2	("20030035626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB